

Message

---

**From:** Fife, Greg [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1EBD5B1EB9104F3E93818DB928C8A313-FIFE, GREG]  
**Sent:** 5/1/2019 1:18:37 PM  
**To:** Bordelon, David [David.Bordelon@WestonSolutions.com]  
**Subject:** Re: Lowerline

I should do a new one.

Sent from my iPhone

> On May 1, 2019, at 8:04 AM, Bordelon, David <David.Bordelon@WestonSolutions.com> wrote:  
>  
> Will we be using the same TDD or will you cut a removal TDD?  
>  
> Sent from my iPhone  
>  
>> On Apr 30, 2019, at 5:01 PM, Fife, Greg <fife.greg@epa.gov> wrote:  
>>  
>> \*\* External Email \*\*  
>>  
>> Not sure about ER contracting ARS  
>>  
>> Rafa should be calling you for some ARS info. That should be a good time to discuss subK  
>>  
>> Sent from my iPhone  
>>  
>>> On Apr 30, 2019, at 4:58 PM, Bordelon, David <David.Bordelon@WestonSolutions.com> wrote:  
>>>  
>>> Got a call from Cheryn Robles with NOLA. Starting removal on 5/11? ER not contracting with ARS?  
>>>  
>>> Sent from my iPhone  
>>> CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.  
>> WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.  
> CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.